

# Mincey

## Mincey “Quick Grab” Cast Marble Adhesive

### PRODUCT DATA SHEET OEM Industrial and Construction Product

Directions: Mincey Quick Grab Cast Marble Adhesive is ready to use and requires no mixing or additives. Higher humidity accelerates cure. Tooling, if necessary, should be done before skinning takes place. In applications where partial or total confinement of sealant is prevalent, the time required for proper cure is generally lengthened by the degree of confinement. Use a half pull of the caulk gun to create the correct sized dollop for every square foot of adhesion.

All surfaces should be clean and dry. If necessary bonding surfaces of cast marble can be wiped with acetone. Allow surface to dry thoroughly before applying adhesive. Do not solvent wipe with alcohols or oil-containing solvents such as Varsol. Priming for CMA is not normally required for applications to nonporous surfaces.

Mincey CMA, when stored in original, unopened container at 70°F with 50% relative humidity, has a shelf life of 12 months from date of manufacture. High temperatures and relative humidity will reduce shelf life. Store in a cool, dry environment.

Do not store in elevated temperatures. Use only on clean, dry surfaces free of contaminants. Do not use at temperatures below 32°F. Cold temperature and low humidity will slow curing. Do not use if rain or moisture will be present within 4 hours of application. Do not use on olefins such as polyethylene, polypropylene or TPO. Do not use as an external adhesive in areas exposed to ultra-violet light. Test all paints before application. Allow treated wood to cure 6 months before application. Remove all coatings and Sealers before application.

MBI warrants only that its products will meet its specifications. MBI shall in no event be liable for incidental or consequential damages. Except as expressly stipulated, MBI's liability, expressed or implied is limited to the stated selling price of any defective goods.

Use with adequate ventilation. Inhalation of vapors during application and cure may cause slight eye or throat irritation. In case of contact with eyes, lips or mouth, flush thoroughly with water. If irritation persists, consult a physician. Avoid repeated, prolonged contact with skin. See MSDS for additional information. Keep out of reach of children.

Information on this data sheet can change without notice and it is therefore not recommended that these figures be used in spec writing. If you have any questions contact us 706-867-1700.

Conforms to OTC Rule for Adhesive  
Meets requirements of California Regs: CARB and SCAQMD  
Conforms to California Proposition 65  
Conforms to USDA Requirements for Non- Food Contact  
VOC Content: less than 14 grams/ liter ASTM D2369 EPA Method 24